

0 型耐油密封圈

序号	规格（外径）
1	5 * 1.9
2	6 * 1.9
3	7 * 1.9
4	7.5 * 1.9
5	8 * 1.9
6	9 * 1.9
7	9.5 * 1.9
8	10 * 1.9
9	10.6 * 1.9
10	11 * 1.9
11	11.5 * 1.9
12	12 * 1.9
13	12.5 * 1.9
14	13 * 1.9
15	14 * 1.9
16	15 * 1.9
17	16 * 1.9
18	17 * 1.9
19	18 * 1.9
20	19 * 1.9
21	20 * 1.9
22	21 * 1.9
23	22 * 1.9
24	23 * 1.9
25	24 * 1.9
26	25 * 1.9
27	26 * 1.9
28	27 * 1.9
29	28 * 1.9
30	29 * 1.9
31	30 * 1.9
32	31 * 1.9
33	32 * 1.9
34	34 * 1.9
35	35 * 1.9
36	36 * 1.9
37	37 * 1.9
38	38 * 1.9
39	40 * 1.9
40	42 * 1.9
41	44 * 1.9
42	45 * 1.9
43	48 * 1.9
44	50 * 1.9
45	52 * 1.9
46	53 * 1.9
47	54 * 1.9
48	55 * 1.9
49	56 * 1.9
50	57 * 1.9

序号	规格（外径）
51	58 * 1.9
52	60 * 1.9
53	63 * 1.9
54	65 * 1.9
55	70 * 1.9
56	73 * 1.9
57	75 * 1.9
58	80 * 1.9
59	85 * 1.9
60	88 * 1.9
61	90 * 1.9
62	95 * 1.9
63	100 * 1.9
64	105 * 1.9
65	110 * 1.9
66	115 * 1.9
67	120 * 1.9
68	125 * 1.9
69	130 * 1.9
70	135 * 1.9
71	140 * 1.9
72	150 * 1.9
73	155 * 1.9
74	160 * 1.9
75	165 * 1.9
76	170 * 1.9
77	175 * 1.9
78	180 * 1.9

0 型耐油密封圈

序号	规格（外径）
1	6 * 2.4
2	8 * 2.4
3	9 * 2.4
4	10 * 2.4
5	11 * 2.4
6	12 * 2.4
7	13 * 2.4
8	14 * 2.4
9	15 * 2.4
10	16 * 2.4
11	17 * 2.4
12	18 * 2.4
13	19 * 2.4
14	20 * 2.4
15	21 * 2.4
16	22 * 2.4
17	23 * 2.4
18	24 * 2.4
19	25 * 2.4
20	26 * 2.4
21	27 * 2.4
22	28 * 2.4
23	29 * 2.4
24	30 * 2.4
25	31 * 2.4
26	32 * 2.4
27	33 * 2.4
28	34 * 2.4
29	35 * 2.4
30	36 * 2.4
31	37 * 2.4
32	38 * 2.4
33	39 * 2.4
34	40 * 2.4
35	41 * 2.4
36	42 * 2.4
37	43 * 2.4
38	44 * 2.4
39	45 * 2.4
40	46 * 2.4
41	47 * 2.4
42	48 * 2.4
43	49 * 2.4
44	50 * 2.4
45	52 * 2.4
46	54 * 2.4
47	55 * 2.4
48	56 * 2.4
49	57 * 2.4
50	58 * 2.4

序号	规格（外径）
51	60 * 2.4
52	62 * 2.4
53	64 * 2.4
54	65 * 2.4
55	66 * 2.4
56	70 * 2.4
57	73 * 2.4
58	75 * 2.4
59	77.5 * 2.4
60	80 * 2.4
61	82.5 * 2.4
62	85 * 2.4
63	90 * 2.4
64	95 * 2.4
65	100 * 2.4
66	103 * 2.4
67	105 * 2.4
68	110 * 2.4
69	112 * 2.4
70	115 * 2.4
71	120 * 2.4
72	122 * 2.4
73	125 * 2.4
74	135 * 2.4
75	140 * 2.4
76	150 * 2.4
77	160 * 2.4
78	165 * 2.4
79	170 * 2.4
80	180 * 2.4
81	190 * 2.4
82	200 * 2.4

0 型耐油密封圈

序号	规格（外径）		
1	10	*	2.5
2	11	*	2.5
3	12	*	2.5
4	13	*	2.5
5	14	*	2.5
6	15	*	2.5
7	16	*	2.5
8	17	*	2.5
9	18	*	2.5
10	19	*	2.5
11	20	*	2.5
12	21	*	2.5
13	22	*	2.5
14	23	*	2.5
15	24	*	2.5
16	25	*	2.5
17	26	*	2.5
18	27	*	2.5
19	28	*	2.5
20	29	*	2.5
21	30	*	2.5
22	31	*	2.5
23	32	*	2.5
24	33	*	2.5
25	34	*	2.5
26	35	*	2.5
27	36	*	2.5
28	38	*	2.5
29	40	*	2.5
30	42	*	2.5
31	45	*	2.5
32	50	*	2.5
33	55	*	2.5
34	64	*	2.5
35	66	*	2.5
36	70	*	2.5
37	75	*	2.5
38	80	*	2.5
39	90	*	2.5
40	100	*	2.5

0 型耐油密封圈

序号	规格（外径）		
1	10	*	3.1
2	11	*	3.1
3	12	*	3.1
4	13	*	3.1
5	14	*	3.1
6	15	*	3.1
7	16	*	3.1
8	17	*	3.1
9	18	*	3.1
10	19	*	3.1
11	20	*	3.1
12	21	*	3.1
13	22	*	3.1
14	23	*	3.1
15	24	*	3.1
16	25	*	3.1
17	26	*	3.1
18	27	*	3.1
19	28	*	3.1
20	29	*	3.1
21	30	*	3.1
22	31	*	3.1
23	32	*	3.1
24	33	*	3.1
25	34	*	3.1
26	35	*	3.1
27	36	*	3.1
28	37	*	3.1
29	38	*	3.1
30	39	*	3.1
31	40	*	3.1
32	41	*	3.1
33	42	*	3.1
34	43	*	3.1
35	44	*	3.1
36	45	*	3.1
37	46	*	3.1
38	47	*	3.1
39	48	*	3.1
40	49	*	3.1
41	50	*	3.1
42	51	*	3.1
43	52	*	3.1
44	53	*	3.1
45	55	*	3.1
46	56	*	3.1
47	58	*	3.1
48	60	*	3.1
49	62	*	3.1
50	63	*	3.1

序号	规格（外径）		
51	64	*	3.1
52	65	*	3.1
53	68	*	3.1
54	70	*	3.1
55	72	*	3.1
56	75	*	3.1
57	78	*	3.1
58	80	*	3.1
59	82	*	3.1
60	83	*	3.1
61	85	*	3.1
62	88	*	3.1
63	90	*	3.1
64	92	*	3.1
65	95	*	3.1
66	96	*	3.1
67	98	*	3.1
68	100	*	3.1
69	105	*	3.1
70	110	*	3.1
71	115	*	3.1
72	115.7	*	3.1
73	117	*	3.1
74	120	*	3.1
75	125	*	3.1
76	130	*	3.1
77	135	*	3.1
78	140	*	3.1
79	145	*	3.1
80	146	*	3.1
81	150	*	3.1
82	155	*	3.1
83	160	*	3.1
84	165	*	3.1
85	170	*	3.1
86	175	*	3.1
87	180	*	3.1
88	185	*	3.1
89	190	*	3.1
90	195	*	3.1
91	200	*	3.1
92	205	*	3.1
93	210	*	3.1
94	215	*	3.1
95	220	*	3.1
96	225	*	3.1
97	230	*	3.1
98	235	*	3.1
99	240	*	3.1
100	245	*	3.1

序号	规格（外径）		
101	250	*	3.1
102	255	*	3.1
103	260	*	3.1
104	265	*	3.1
105	270	*	3.1
106	275	*	3.1
107	280	*	3.1
108	285	*	3.1
109	290	*	3.1
110	295	*	3.1
111	300	*	3.1
112	310	*	3.1
113	315	*	3.1
114	320	*	3.1
115	330	*	3.1
116	340	*	3.1
117	345	*	3.1

0 型耐油密封圈

序号	规格（外径）		
1	12	*	3.5
2	13	*	3.5
3	14	*	3.5
4	14.5	*	3.5
5	15	*	3.5
6	16	*	3.5
7	17	*	3.5
8	18	*	3.5
9	19	*	3.5
10	20	*	3.5
11	21	*	3.5
12	22	*	3.5
13	24	*	3.5
14	25	*	3.5
15	26	*	3.5
16	272	*	3.5
17	8	*	3.5
18	29	*	3.5
19	30	*	3.5
20	31	*	3.5
21	32	*	3.5
22	33	*	3.5
23	34	*	3.5
24	35	*	3.5
25	36	*	3.5
26	37	*	3.5
27	38	*	3.5
28	39	*	3.5
29	40	*	3.5
30	41	*	3.5
31	42	*	3.5
32	43	*	3.5
33	44	*	3.5
34	45	*	3.5
35	46	*	3.5
36	47	*	3.5
37	48	*	3.5
38	49	*	3.5
39	50	*	3.5
40	51	*	3.5
41	52	*	3.5
42	54	*	3.5
43	55	*	3.5
44	56	*	3.5
45	57	*	3.5
46	58	*	3.5
47	60	*	3.5
48	63	*	3.5
49	65	*	3.5
50	68	*	3.5

序号	规格（外径）		
51	70	*	3.5
52	72	*	3.5
53	75	*	3.5
54	76	*	3.5
55	78	*	3.5
56	80	*	3.5
57	82	*	3.5
58	83	*	3.5
59	85	*	3.5
60	87	*	3.5
61	90	*	3.5
62	92	*	3.5
63	95	*	3.5
64	100	*	3.5
65	102	*	3.5
66	105	*	3.5
67	110	*	3.5
68	115	*	3.5
69	119	*	3.5
70	122	*	3.5
71	125	*	3.5
72	130	*	3.5
73	135	*	3.5
74	140	*	3.5
75	145	*	3.5
76	147	*	3.5
77	149	*	3.5
78	150	*	3.5
79	152	*	3.5
80	155	*	3.5
81	157	*	3.5
82	160	*	3.5
83	165	*	3.5
84	170	*	3.5
85	175	*	3.5
86	180	*	3.5
87	185	*	3.5
88	187	*	3.5
89	190	*	3.5
90	195	*	3.5
91	200	*	3.5
92	205	*	3.5
93	210	*	3.5
94	215	*	3.5
95	220	*	3.5
96	225	*	3.5
97	230	*	3.5
98	235	*	3.5
99	240	*	3.5
100	245	*	3.5

序号	规格（外径）		
101	250	*	3.5
102	255	*	3.5
103	260	*	3.5
104	265	*	3.5
105	270	*	3.5
106	272	*	3.5
107	275	*	3.5
108	280	*	3.5
109	285	*	3.5
110	290	*	3.5
111	295	*	3.5
112	300	*	3.5
113	305	*	3.5
114	310	*	3.5
115	320	*	3.5
116	330	*	3.5
117	335	*	3.5
118	340	*	3.5
119	345	*	3.5
120	350	*	3.5
121	355	*	3.5
122	360	*	3.5
123	370	*	3.5
124	380	*	3.5
125	390	*	3.5
126	400	*	3.5

0 型耐油密封圈

序号	规格（外径）		
1	14	*	4
2	15	*	4
3	16	*	4
4	17	*	4
5	18	*	4
6	19	*	4
7	20	*	4
8	21	*	4
9	22	*	4
10	23	*	4
11	24	*	4
12	25	*	4
13	26	*	4
14	27	*	4
15	28	*	4
16	30	*	4
17	31	*	4
18	32	*	4
19	33	*	4
20	34	*	4
21	35	*	4
22	36	*	4
23	37	*	4
24	38	*	4
25	39	*	4
26	40	*	4
27	41	*	4
28	42	*	4
29	44	*	4
30	45	*	4
31	46	*	4
32	48	*	4
33	50	*	4
34	52	*	4
35	53	*	4
36	54	*	4
37	55	*	4
38	56	*	4
39	57	*	4
40	58	*	4
41	60	*	4
42	62	*	4
43	63	*	4
44	64	*	4
45	65	*	4
46	66	*	4
47	68	*	4
48	70	*	4
49	72	*	4
50	74	*	4

序号	规格（外径）		
51	75	*	4
52	78	*	4
53	80	*	4
54	82	*	4
55	85	*	4
56	88	*	4
57	90	*	4
58	92	*	4
59	95	*	4
60	98	*	4
61	100	*	4
62	102	*	4
63	105	*	4
64	108	*	4
65	110	*	4
66	115	*	4
67	118	*	4
68	120	*	4
69	125	*	4
70	128	*	4
71	130	*	4
72	135	*	4
73	138	*	4
74	140	*	4
75	145	*	4
76	150	*	4
77	155	*	4
78	160	*	4
79	165	*	4
80	168	*	4
81	170	*	4
82	175	*	4
83	180	*	4
84	185	*	4
85	190	*	4
86	195	*	4
87	200	*	4
88	205	*	4
89	210	*	4
90	215	*	4
91	220	*	4
92	225	*	4
93	230	*	4
94	235	*	4
95	240	*	4
96	245	*	4
97	250	*	4
98	255	*	4
99	260	*	4
100	265	*	4

序号	规格（外径）		
101	270	*	4
102	275	*	4
103	280	*	4
104	285	*	4
105	290	*	4
106	295	*	4
107	300	*	4
108	305	*	4
109	310	*	4
110	315	*	4
111	320	*	4
112	325	*	4
113	330	*	4
114	340	*	4
115	350	*	4
116	360	*	4
117	370	*	4
118	380	*	4
119	390	*	4
120	400	*	4

0 型耐油密封圈

序号	规格（外径）		
1	36	*	4.5
2	38	*	4.5
3	40	*	4.5
4	45	*	4.5
5	48	*	4.5
6	50	*	4.5
7	52	*	4.5
8	56	*	4.5
9	60	*	4.5
10	62	*	4.5
11	66	*	4.5
12	68	*	4.5
13	70	*	4.5
14	73	*	4.5
15	80	*	4.5
16	85	*	4.5
17	86	*	4.5
18	90	*	4.5
19	95	*	4.5
20	97	*	4.5
21	100	*	4.5
22	105	*	4.5
23	107	*	4.5
24	110	*	4.5
25	111	*	4.5
26	115	*	4.5
27	120	*	4.5
28	125	*	4.5
29	130	*	4.5
30	135	*	4.5
31	140	*	4.5
32	145	*	4.5
33	150	*	4.5
34	155	*	4.5
35	160	*	4.5
36	165	*	4.5
37	170	*	4.5
38	175	*	4.5
39	180	*	4.5
40	185	*	4.5
41	187	*	4.5
42	190	*	4.5
43	195	*	4.5
44	200	*	4.5

0 型耐油密封圈

序号	规格（外径）		
1	16	*	5
2	17	*	5
3	18	*	5
4	19	*	5
5	20	*	5
6	21	*	5
7	22	*	5
8	23	*	5
9	24	*	5
10	25	*	5
11	26	*	5
12	27	*	5
13	28	*	5
14	29	*	5
15	30	*	5
16	32	*	5
17	34	*	5
18	35	*	5
19	36	*	5
20	37	*	5
21	38	*	5
22	40	*	5
23	42	*	5
24	44	*	5
25	45	*	5
26	46	*	5
27	48	*	5
28	50	*	5
29	52	*	5
30	53	*	5
31	55	*	5
32	56	*	5
33	58	*	5
34	60	*	5
35	62	*	5
36	63	*	5
37	64	*	5
38	65	*	5
39	68	*	5
40	70	*	5
41	72	*	5
42	74	*	5
43	75	*	5
44	76	*	5
45	78	*	5
46	80	*	5
47	82	*	5
48	85	*	5
49	87	*	5
50	88	*	5

序号	规格（外径）		
51	90	*	5
52	92	*	5
53	95	*	5
54	98	*	5
55	100	*	5
56	102	*	5
57	105	*	5
58	107	*	5
59	110	*	5
60	115	*	5
61	118	*	5
62	120	*	5
63	125	*	5
64	130	*	5
65	135	*	5
66	140	*	5
67	145	*	5
68	150	*	5
69	155	*	5
70	160	*	5
71	165	*	5
72	170	*	5
73	175	*	5
74	180	*	5
75	185	*	5
76	190	*	5
77	195	*	5
78	200	*	5
79	205	*	5
80	210	*	5
81	215	*	5
82	220	*	5
83	225	*	5
84	230	*	5
85	235	*	5
86	240	*	5
87	245	*	5
88	250	*	5
89	255	*	5
90	260	*	5
91	265	*	5
92	270	*	5
93	275	*	5
94	280	*	5
95	285	*	5
96	290	*	5
97	295	*	5
98	300	*	5
99	305	*	5
100	310	*	5

序号	规格（外径）		
101	315	*	5
102	320	*	5
103	330	*	5
104	335	*	5
105	340	*	5
106	355	*	5
107	360	*	5
108	370	*	5
109	375	*	5
110	380	*	5
111	385	*	5
112	390	*	5
113	400	*	5
114	410	*	5
115	420	*	5
116	430	*	5
117	440	*	5
118	450	*	5
119	460	*	5
120	470	*	5
121	480	*	5
122	490	*	5
123	500	*	5

0 型耐油密封圈

序号	规格（外径）		
1	28	*	5.7
2	30	*	5.7
3	32	*	5.7
4	35	*	5.7
5	40	*	5.7
6	45	*	5.7
7	48	*	5.7
8	50	*	5.7
9	52	*	5.7
10	54	*	5.7
11	55	*	5.7
12	58	*	5.7
13	59	*	5.7
14	60	*	5.7
15	62	*	5.7
16	63	*	5.7
17	65	*	5.7
18	67	*	5.7
19	70	*	5.7
20	73	*	5.7
21	75	*	5.7
22	77	*	5.7
23	78	*	5.7
24	80	*	5.7
25	83	*	5.7
26	85	*	5.7
27	87	*	5.7
28	90	*	5.7
29	92	*	5.7
30	94	*	5.7
31	95	*	5.7
32	100	*	5.7
33	102	*	5.7
34	105	*	5.7
35	110	*	5.7
36	115	*	5.7
37	120	*	5.7
38	125	*	5.7
39	128	*	5.7
40	130	*	5.7
41	135	*	5.7
42	140	*	5.7
43	145	*	5.7
44	150	*	5.7
45	155	*	5.7
46	158	*	5.7
47	160	*	5.7
48	165	*	5.7
49	170	*	5.7
50	175	*	5.7

序号	规格（外径）		
51	180	*	5.7
52	185	*	5.7
53	190	*	5.7
54	195	*	5.7
55	200	*	5.7
56	205	*	5.7
57	210	*	5.7
58	215	*	5.7
59	220	*	5.7
60	225	*	5.7
61	230	*	5.7
62	235	*	5.7
63	240	*	5.7
64	245	*	5.7
65	250	*	5.7
66	255	*	5.7
67	260	*	5.7
68	265	*	5.7
69	270	*	5.7
70	275	*	5.7
71	280	*	5.7
72	285	*	5.7
73	290	*	5.7
74	295	*	5.7
75	300	*	5.7
76	305	*	5.7
77	310	*	5.7
78	315	*	5.7
79	320	*	5.7
80	325	*	5.7
81	330	*	5.7
82	335	*	5.7
83	340	*	5.7
84	345	*	5.7
85	350	*	5.7
86	355	*	5.7
87	360	*	5.7
88	365	*	5.7
89	370	*	5.7
90	375	*	5.7
91	380	*	5.7
92	385	*	5.7
93	390	*	5.7
94	395	*	5.7
95	400	*	5.7
96	410	*	5.7
97	415	*	5.7
98	420	*	5.7
99	425	*	5.7
100	430	*	5.7

序号	规格（外径）		
101	435	*	5.7
102	440	*	5.7
103	445	*	5.7
104	450	*	5.7
105	455	*	5.7
106	460	*	5.7
107	470	*	5.7
108	480	*	5.7
109	485	*	5.7
110	490	*	5.7
111	495	*	5.7
112	500	*	5.7
113	510	*	5.7
114	515	*	5.7
115	520	*	5.7
116	530	*	5.7
117	540	*	5.7
118	550	*	5.7
119	560	*	5.7

0 型耐油密封圈

序号	规格（外径）
1	30 * 6
2	32 * 6
3	38 * 6
4	40 * 6
5	42 * 6
6	45 * 6
7	48 * 6
8	50 * 6
9	52 * 6
10	55 * 6
11	60 * 6
12	62 * 6
13	63 * 6
14	66 * 6
15	68 * 6
16	70 * 6
17	73 * 6
18	80 * 6
19	82 * 6
20	85 * 6
21	86 * 6
22	90 * 6
23	92 * 6
24	95 * 6
25	97 * 6
26	100 * 6
27	105 * 6
28	107 * 6
29	110 * 6
30	111 * 6
31	115 * 6
32	120 * 6
33	125 * 6
34	130 * 6
35	135 * 6
36	140 * 6
37	142 * 6
38	145 * 6
39	150 * 6
40	155 * 6
41	160 * 6
42	162 * 6
43	165 * 6
44	170 * 6
45	172 * 6
46	175 * 6
47	180 * 6
48	185 * 6
49	187 * 6
50	190 * 6

序号	规格（外径）
51	195 * 6
52	197 * 6
53	200 * 6
54	205 * 6
55	210 * 6
56	215 * 6
57	218 * 6
58	220 * 6
59	225 * 6
60	230 * 6
61	232 * 6
62	235 * 6
63	240 * 6
64	245 * 6
65	250 * 6
66	252 * 6
67	255 * 6
68	260 * 6
69	265 * 6
70	270 * 6
71	275 * 6
72	280 * 6
73	285 * 6
74	290 * 6
75	295 * 6
76	300 * 6
77	305 * 6
78	310 * 6
79	320 * 6
80	325 * 6
81	330 * 6
82	335 * 6
83	342 * 6
84	347 * 6
85	350 * 6
86	385 * 6
87	390 * 6
88	400 * 6
89	412 * 6

0 型耐油密封圈

序号	规格（外径）		
1	30	*	8.6
2	50	*	8.6
3	60	*	8.6
4	70	*	8.6
5	75	*	8.6
6	80	*	8.6
7	85	*	8.6
8	90	*	8.6
9	95	*	8.6
10	100	*	8.6
11	101	*	8.6
12	105	*	8.6
13	110	*	8.6
14	115	*	8.6
15	120	*	8.6
16	125	*	8.6
17	130	*	8.6
18	135	*	8.6
19	140	*	8.6
20	145	*	8.6
21	150	*	8.6
22	155	*	8.6
23	160	*	8.6
24	165	*	8.6
25	170	*	8.6
26	175	*	8.6
27	180	*	8.6
28	185	*	8.6
29	190	*	8.6
30	195	*	8.6
31	200	*	8.6
32	205	*	8.6
33	210	*	8.6
34	215	*	8.6
35	220	*	8.6
36	225	*	8.6
37	230	*	8.6
38	235	*	8.6
39	240	*	8.6
40	245	*	8.6
41	250	*	8.6
42	255	*	8.6
43	260	*	8.6
44	265	*	8.6
45	270	*	8.6
46	275	*	8.6
47	280	*	8.6
48	285	*	8.6
49	290	*	8.6
50	295	*	8.6

序号	规格（外径）		
51	300	*	8.6
52	305	*	8.6
53	310	*	8.6
54	315	*	8.6
55	320	*	8.6
56	325	*	8.6
57	330	*	8.6
58	335	*	8.6
59	340	*	8.6
60	345	*	8.6
61	350	*	8.6
62	355	*	8.6
63	360	*	8.6
64	365	*	8.6
65	370	*	8.6
66	375	*	8.6
67	380	*	8.6
68	385	*	8.6
69	390	*	8.6
70	395	*	8.6
71	400	*	8.6
72	405	*	8.6
73	410	*	8.6
74	415	*	8.6
75	420	*	8.6
76	425	*	8.6
77	430	*	8.6
78	435	*	8.6
79	440	*	8.6
80	450	*	8.6
81	455	*	8.6
82	460	*	8.6
83	465	*	8.6
84	470	*	8.6
85	475	*	8.6
86	480	*	8.6
87	480	*	8.6
88	490	*	8.6
89	495	*	8.6
90	500	*	8.6
91	510	*	8.6
92	520	*	8.6
93	530	*	8.6
94	540	*	8.6
95	550	*	8.6
96	560	*	8.6
97	565	*	8.6
98	570	*	8.6
99	580	*	8.6
100	590	*	8.6

序号	规格（外径）		
101	600	*	8.6
102	620	*	8.6

0 型耐油密封圈

序号	规格（内径）		
1	2.3	*	1.5
2	3.5	*	1.5
3	4	*	1.5
4	4.5	*	1.5
5	5	*	1.5
6	5.5	*	1.5
7	6	*	1.5
8	6.5	*	1.5
9	7	*	1.5
10	7.5	*	1.5
11	8	*	1.5
12	8.5	*	1.5
13	9	*	1.5
14	9.5	*	1.5
15	10	*	1.5
16	10.5	*	1.5
17	11	*	1.5
18	11.5	*	1.5
19	12	*	1.5
20	13	*	1.5
21	14	*	1.5
22	15	*	1.5
23	16	*	1.5
24	17	*	1.5
25	18	*	1.5
26	20	*	1.5
27	21	*	1.5
28	22	*	1.5
29	23	*	1.5
30	24	*	1.5
31	25	*	1.5
32	26	*	1.5
33	27	*	1.5
34	29	*	1.5
35	30	*	1.5
36	32	*	1.5
37	34	*	1.5
38	35	*	1.5
39	37	*	1.5
40	38	*	1.5
41	40	*	1.5
42	42	*	1.5
43	45	*	1.5
44	48	*	1.5
45	50	*	1.5
46	60	*	1.5
47	73	*	1.5

0 型耐油密封圈

序号	规格（内径）		
1	1.8	*	1.8
2	2	*	1.8
3	2.24	*	1.8
4	2.5	*	1.8
5	2.8	*	1.8
6	3.15	*	1.8
7	3.55	*	1.8
8	3.75	*	1.8
9	4	*	1.8
10	4.5	*	1.8
11	4.87	*	1.8
12	5	*	1.8
13	5.15	*	1.8
14	5.3	*	1.8
15	5.5	*	1.8
16	5.6	*	1.8
17	6	*	1.8
18	6.3	*	1.8
19	6.7	*	1.8
20	6.9	*	1.8
21	7.1	*	1.8
22	7.5	*	1.8
23	8	*	1.8
24	8.5	*	1.8
25	8.75	*	1.8
26	9	*	1.8
27	9.5	*	1.8
28	9.75	*	1.8
29	10	*	1.8
30	10.6	*	1.8
31	10.8	*	1.8
32	11.2	*	1.8
33	11.8	*	1.8
34	12.5	*	1.8
35	12.8	*	1.8
36	13.2	*	1.8
37	14	*	1.8
38	15	*	1.8
39	15.4	*	1.8
40	16	*	1.8
41	17	*	1.8
42	18	*	1.8
43	19	*	1.8
44	20	*	1.8
45	20.6	*	1.8
46	21.2	*	1.8
47	22.4	*	1.8
48	23	*	1.8
49	23.6	*	1.8
50	24.3	*	1.8

序号	规格（内径）		
51	25	*	1.8
52	25.8	*	1.8
53	26.5	*	1.8
54	27.3	*	1.8
55	28	*	1.8
56	29	*	1.8
57	30	*	1.8
58	31.5	*	1.8
59	32.5	*	1.8
60	33.5	*	1.8
61	34.5	*	1.8
62	35.5	*	1.8
63	36.5	*	1.8
64	37.5	*	1.8
65	38.5	*	1.8
66	39.5	*	1.8
67	40	*	1.8
68	41.2	*	1.8
69	42.5	*	1.8
70	43.7	*	1.8
71	45	*	1.8
72	46.2	*	1.8
73	47.5	*	1.8
74	48.7	*	1.8
75	50	*	1.8
76	51.5	*	1.8
77	53	*	1.8
78	54.5	*	1.8
79	55	*	1.8
80	56	*	1.8
81	58	*	1.8
82	60	*	1.8
83	63	*	1.8
84	65	*	1.8
85	67	*	1.8
86	71	*	1.8
87	73	*	1.8
88	75	*	1.8
89	77.5	*	1.8
90	80	*	1.8
91	82.5	*	1.8
92	85	*	1.8
93	87.5	*	1.8
94	90	*	1.8
95	95	*	1.8
96	98.4	*	1.8
97	100	*	1.8
98	103	*	1.8
99	106	*	1.8
100	112	*	1.8

序号	规格（内径）		
101	117	*	1.8
102	118	*	1.8
103	120	*	1.8
104	125	*	1.8
105	128	*	1.8
106	135	*	1.8

0 型耐油密封圈

序号	规格（内径）		
1	4	*	2
2	5	*	2
3	6	*	2
4	6.5	*	2
5	7	*	2
6	8	*	2
7	9	*	2
8	10	*	2
9	11	*	2
10	12	*	2
11	13	*	2
12	14	*	2
13	15	*	2
14	16	*	2
15	17	*	2
16	18	*	2
17	19	*	2
18	20	*	2
19	21	*	2
20	22	*	2
21	23	*	2
22	23.5	*	2
23	24	*	2
24	24.5	*	2
25	25	*	2
26	26	*	2
27	27	*	2
28	28	*	2
29	29	*	2
30	30	*	2
31	31	*	2
32	32	*	2
33	33	*	2
34	34	*	2
35	35	*	2
36	35.5	*	2
37	36	*	2
38	36.5	*	2
39	37.5	*	2
40	38	*	2
41	38.5	*	2
42	39	*	2
43	39.5	*	2
44	40	*	2
45	40.5	*	2
46	41	*	2
47	41.5	*	2
48	42	*	2
49	43	*	2
50	43.5	*	2

序号	规格（内径）		
51	44	*	2
52	45	*	2
53	45.5	*	2
54	46	*	2
55	47.5	*	2
56	48	*	2
57	49	*	2
58	49.5	*	2
59	50	*	2
60	51	*	2
61	52	*	2
62	53	*	2
63	55	*	2
64	56	*	2
65	60	*	2
66	65	*	2
67	66	*	2
68	69	*	2
69	70	*	2
70	73.5	*	2
71	75	*	2
72	76	*	2
73	80	*	2
74	85	*	2
75	86	*	2
76	89	*	2
77	90	*	2
78	95	*	2
79	96	*	2
80	100	*	2
81	105	*	2
82	106	*	2
83	110	*	2
84	115	*	2
85	116	*	2
86	120	*	2
87	125	*	2
88	126	*	2
89	130	*	2
90	135	*	2
91	136	*	2
92	140	*	2
93	145	*	2
94	146	*	2
95	150	*	2
96	156	*	2
97	166	*	2
98	170	*	2
99	174	*	2
100	178	*	2

序号	规格（内径）		
101	186	*	2
102	190	*	2
103	196	*	2
104	206	*	2
105	216	*	2
106	226	*	2
107	236	*	2

0 型耐油密封圈

序号	规格（内径）		
1	5	*	2.65
2	5.5	*	2.65
3	6	*	2.65
4	6.9	*	2.65
5	7	*	2.65
6	7.1	*	2.65
7	7.5	*	2.65
8	8	*	2.65
9	8.5	*	2.65
10	8.75	*	2.65
11	9	*	2.65
12	9.5	*	2.65
13	10	*	2.65
14	10.6	*	2.65
15	11.2	*	2.65
16	11.8	*	2.65
17	12.1	*	2.65
18	12.5	*	2.65
19	12.8	*	2.65
20	13.2	*	2.65
21	14	*	2.65
22	14.5	*	2.65
23	15	*	2.65
24	15.54	*	2.65
25	16	*	2.65
26	17	*	2.65
27	18	*	2.65
28	19	*	2.65
29	20	*	2.65
30	21.2	*	2.65
31	21.89	*	2.65
32	22.4	*	2.65
33	23.6	*	2.65
34	24	*	2.65
35	24.3	*	2.65
36	25	*	2.65
37	25.8	*	2.65
38	26.5	*	2.65
39	27	*	2.65
40	27.3	*	2.65
41	28	*	2.65
42	30	*	2.65
43	31.5	*	2.65
44	32.5	*	2.65
45	33.5	*	2.65
46	34.5	*	2.65
47	35.5	*	2.65
48	36.5	*	2.65
49	37.5	*	2.65
50	38.5	*	2.65

序号	规格（内径）		
51	40	*	2.65
52	41.2	*	2.65
53	42.5	*	2.65
54	43.7	*	2.65
55	45	*	2.65
56	46.2	*	2.65
57	47.5	*	2.65
58	48	*	2.65
59	48.7	*	2.65
60	50	*	2.65
61	51.5	*	2.65
62	53	*	2.65
63	54.5	*	2.65
64	56	*	2.65
65	58	*	2.65
66	60	*	2.65
67	61.5	*	2.65
68	62.5	*	2.65
69	63	*	2.65
70	65	*	2.65
71	67	*	2.65
72	69	*	2.65
73	70	*	2.65
74	71	*	2.65
75	73	*	2.65
76	74	*	2.65
77	75	*	2.65
78	77.5	*	2.65
79	80	*	2.65
80	82.5	*	2.65
81	85	*	2.65
82	87.5	*	2.65
83	90	*	2.65
84	92.5	*	2.65
85	95	*	2.65
86	97.5	*	2.65
87	100	*	2.65
88	103	*	2.65
89	105	*	2.65
90	106	*	2.65
91	109	*	2.65
92	112	*	2.65
93	115	*	2.65
94	118	*	2.65
95	120	*	2.65
96	122	*	2.65
97	125	*	2.65
98	128	*	2.65
99	130	*	2.65
100	132	*	2.65

序号	规格（内径）		
101	136	*	2.65
102	140	*	2.65
103	145	*	2.65
104	150	*	2.65
105	155	*	2.65
106	158	*	2.65
107	160	*	2.65
108	165	*	2.65
109	170	*	2.65
110	175	*	2.65
111	180	*	2.65
112	185	*	2.65
113	190	*	2.65
114	195	*	2.65
115	200	*	2.65
116	206	*	2.65
117	210	*	2.65
118	212	*	2.65
119	218	*	2.65
120	224	*	2.65
121	230	*	2.65
122	236	*	2.65
123	240	*	2.65
124	243	*	2.65
125	250	*	2.65
126	258	*	2.65
127	26	*	2.65
128	270	*	2.65
129	280	*	2.65
130	290	*	2.65
131	330	*	2.65

0 型耐油密封圈

序号	规格（内径）		
1	5	*	3.55
2	6	*	3.55
3	7	*	3.55
4	8	*	3.55
5	9	*	3.55
6	10	*	3.55
7	11	*	3.55
8	12	*	3.55
9	13	*	3.55
10	14	*	3.55
11	15	*	3.55
12	16	*	3.55
13	17	*	3.55
14	18	*	3.55
15	19	*	3.55
16	20	*	3.55
17	20.6	*	3.55
18	21.2	*	3.55
19	22.4	*	3.55
20	23.6	*	3.55
21	24	*	3.55
22	24.3	*	3.55
23	25	*	3.55
24	25.8	*	3.55
25	26.5	*	3.55
26	26.7	*	3.55
27	27.3	*	3.55
28	28	*	3.55
29	29	*	3.55
30	30	*	3.55
31	30.7	*	3.55
32	31.5	*	3.55
33	32.5	*	3.55
34	33.5	*	3.55
35	34.5	*	3.55
36	35.5	*	3.55
37	36.5	*	3.55
38	37.5	*	3.55
39	38.5	*	3.55
40	40	*	3.55
41	41.2	*	3.55
42	42.5	*	3.55
43	43.7	*	3.55
44	45	*	3.55
45	46.2	*	3.55
46	47.2	*	3.55
47	48.7	*	3.55
48	50	*	3.55
49	51.5	*	3.55
50	53	*	3.55

序号	规格（内径）		
51	54.5	*	3.55
52	56	*	3.55
53	57	*	3.55
54	58	*	3.55
55	60	*	3.55
56	61.5	*	3.55
57	63	*	3.55
58	65	*	3.55
59	67	*	3.55
60	68	*	3.55
61	69	*	3.55
62	70	*	3.55
63	71	*	3.55
64	73	*	3.55
65	75	*	3.55
66	77.5	*	3.55
67	79	*	3.55
68	80	*	3.55
69	82.5	*	3.55
70	85	*	3.55
71	87.5	*	3.55
72	90	*	3.55
73	92.5	*	3.55
74	95	*	3.55
75	97.5	*	3.55
76	98	*	3.55
77	100	*	3.55
78	103	*	3.55
79	105	*	3.55
80	106	*	3.55
81	109	*	3.55
82	112	*	3.55
83	114	*	3.55
84	115	*	3.55
85	118	*	3.55
86	120	*	3.55
87	122	*	3.55
88	125	*	3.55
89	126.5	*	3.55
90	128	*	3.55
91	130	*	3.55
92	132	*	3.55
93	132.9	*	3.55
94	136	*	3.55
95	140	*	3.55
96	142	*	3.55
97	142.5	*	3.55
98	145	*	3.55
99	147.5	*	3.55
100	149	*	3.55

序号	规格（内径）		
101	150	*	3.55
102	152.5	*	3.55
103	155	*	3.55
104	158	*	3.55
105	160	*	3.55
106	162.5	*	3.55
107	165	*	3.55
108	167.5	*	3.55
109	170	*	3.55
110	172.5	*	3.55
111	175	*	3.55
112	178	*	3.55
113	180	*	3.55
114	182.5	*	3.55
115	185	*	3.55
116	187.5	*	3.55
117	19	*	3.55
118	195	*	3.55
119	196.5	*	3.55
120	200	*	3.55
121	203	*	3.55
122	206	*	3.55
123	209	*	3.55
124	209.4	*	3.55
125	210	*	3.55
126	212	*	3.55
127	215	*	3.55
128	218	*	3.55
129	220	*	3.55
130	224	*	3.55
131	225	*	3.55
132	229	*	3.55
133	230	*	3.55
134	234.5	*	3.55
135	236	*	3.55
136	240	*	3.55
137	243	*	3.55
138	245	*	3.55
139	250	*	3.55
140	255	*	3.55
141	260	*	3.55
142	265	*	3.55
143	270	*	3.55
144	275	*	3.55
145	279	*	3.55
146	280	*	3.55
147	285	*	3.55
148	290	*	3.55
149	295	*	3.55
150	300	*	3.55

0 型耐油密封圈

序号	规格（内径）		
151	304	*	3.55
152	310	*	3.55
153	315	*	3.55
154	320	*	3.55
155	325	*	3.55
156	330	*	3.55
157	335	*	3.55
158	340	*	3.55
159	345	*	3.55
160	350	*	3.55
161	365	*	3.55
162	375	*	3.55
163	378	*	3.55
164	380	*	3.55
165	390	*	3.55
166	400	*	3.55
167	510	*	3.55
168	530	*	3.55

0 型耐油密封圈

序号	规格（内径）		
1	22	*	5.3
2	24.5	*	5.3
3	28	*	5.3
4	30	*	5.3
5	32.5	*	5.3
6	33	*	5.3
7	34	*	5.3
8	34.5	*	5.3
9	37.5	*	5.3
10	38.7	*	5.3
11	40	*	5.3
12	41.2	*	5.3
13	42.5	*	5.3
14	43.7	*	5.3
15	45	*	5.3
16	46.2	*	5.3
17	47.5	*	5.3
18	48.7	*	5.3
19	50	*	5.3
20	51	*	5.3
21	51.5	*	5.3
22	52.4	*	5.3
23	53	*	5.3
24	54.5	*	5.3
25	56	*	5.3
26	58	*	5.3
27	60	*	5.3
28	61.5	*	5.3
29	63	*	5.3
30	65	*	5.3
31	67	*	5.3
32	69	*	5.3
33	70	*	5.3
34	71	*	5.3
35	72	*	5.3
36	73	*	5.3
37	75	*	5.3
38	76	*	5.3
39	77.5	*	5.3
40	80	*	5.3
41	82.5	*	5.3
42	85	*	5.3
43	87.59	*	5.3
44	90	*	5.3
45	92.5	*	5.3
46	95	*	5.3
47	97.5	*	5.3
48	100	*	5.3
49	103	*	5.3
50	105	*	5.3

序号	规格（内径）		
51	106	*	5.3
52	107.5	*	5.3
53	109	*	5.3
54	112.3	*	5.3
55	115	*	5.3
56	118	*	5.3
57	122	*	5.3
58	125	*	5.3
59	128	*	5.3
60	132	*	5.3
61	136	*	5.3
62	140	*	5.3
63	142.5	*	5.3
64	145	*	5.3
65	147.5	*	5.3
66	150	*	5.3
67	152.5	*	5.3
68	155	*	5.3
69	157.5	*	5.3
70	160	*	5.3
71	162.5	*	5.3
72	165	*	5.3
73	167.5	*	5.3
74	170	*	5.3
75	172.5	*	5.3
76	175	*	5.3
77	180	*	5.3
78	182.5	*	5.3
79	185	*	5.3
80	187.5	*	5.3
81	190	*	5.3
82	195	*	5.3
83	200	*	5.3
84	203	*	5.3
85	206	*	5.3
86	212	*	5.3
87	215	*	5.3
88	218	*	5.3
89	224	*	5.3
90	227	*	5.3
91	230	*	5.3
92	236	*	5.3
93	239	*	5.3
94	240	*	5.3
95	243	*	5.3
96	245	*	5.3
97	250	*	5.3
98	254	*	5.3
99	258	*	5.3
100	260	*	5.3

序号	规格（内径）		
101	261	*	5.3
102	265	*	5.3
103	268	*	5.3
104	272	*	5.3
105	276	*	5.3
106	280	*	5.3
107	283	*	5.3
108	285	*	5.3
109	286	*	5.3
110	290	*	5.3
111	295	*	5.3
112	300	*	5.3
113	303	*	5.3
114	307	*	5.3
115	310	*	5.3
116	315	*	5.3
117	320	*	5.3
118	325	*	5.3
119	330	*	5.3
120	335	*	5.3
121	340	*	5.3
122	345	*	5.3
123	350	*	5.3
124	355	*	5.3
125	360	*	5.3
126	365	*	5.3
127	370	*	5.3
128	375	*	5.3
129	379	*	5.3
130	383	*	5.3
131	387	*	5.3
132	395	*	5.3
133	397	*	5.3
134	400	*	5.3
135	410	*	5.3
136	420	*	5.3
137	430	*	5.3
138	440	*	5.3
139	445	*	5.3
140	450	*	5.3
141	460	*	5.3
142	470	*	5.3
143	475	*	5.3
144	480	*	5.3
145	490	*	5.3
146	500	*	5.3
147	510	*	5.3
148	530	*	5.3
149	590	*	5.3
150	630	*	5.3

O 型耐油密封圈

序号	规格（内径）		
1	24	*	7
2	38	*	7
3	46	*	7
4	47.5	*	7
5	48	*	7
6	51.5	*	7
7	53	*	7
8	60	*	7
9	62	*	7
10	66	*	7
11	69	*	7
12	70	*	7
13	71	*	7
14	76	*	7
15	81	*	7
16	85	*	7
17	86	*	7
18	90	*	7
19	91	*	7
20	92	*	7
21	95	*	7
22	96	*	7
23	100	*	7
24	101	*	7
25	102	*	7
26	103	*	7
27	106	*	7
28	107	*	7
29	109	*	7
30	111	*	7
31	112	*	7
32	115	*	7
33	116	*	7
34	118	*	7
35	120	*	7
36	121	*	7
37	122	*	7
38	125	*	7
39	126	*	7
40	128	*	7
41	130	*	7
42	132	*	7
43	136	*	7
44	138	*	7
45	140	*	7
46	142.5	*	7
47	142	*	7
48	145	*	7
49	146	*	7
50	147.5	*	7

序号	规格（内径）		
51	150	*	7
52	151	*	7
53	152.5	*	7
54	155	*	7
55	156	*	7
56	157.5	*	7
57	160	*	7
58	162.5	*	7
59	165	*	7
60	167.5	*	7
61	170	*	7
62	172.5	*	7
63	175	*	7
64	177.5	*	7
65	180	*	7
66	182.5	*	7
67	185	*	7
68	187.5	*	7
69	190	*	7
70	195	*	7
71	197	*	7
72	200	*	7
73	203	*	7
74	206	*	7
75	212	*	7
76	215	*	7
77	218	*	7
78	220	*	7
79	224	*	7
80	225	*	7
81	228	*	7
82	230	*	7
83	236	*	7
84	239	*	7
85	243	*	7
86	245	*	7
87	250	*	7
88	254	*	7
89	258	*	7
90	261	*	7
91	265	*	7
92	268	*	7
93	270	*	7
94	272	*	7
95	275	*	7
96	276	*	7
97	280	*	7
98	283	*	7
99	286	*	7
100	290	*	7

序号	规格（内径）		
101	295	*	7
102	300	*	7
103	305	*	7
104	307	*	7
105	311	*	7
106	312	*	7
107	315	*	7
108	320	*	7
109	325	*	7
110	330	*	7
111	335	*	7
112	340	*	7
113	345	*	7
114	350	*	7
115	355	*	7
116	360	*	7
117	365	*	7
118	370	*	7
119	372	*	7
120	375	*	7
121	379	*	7
122	380	*	7
123	383	*	7
124	387	*	7
125	391	*	7
126	395	*	7
127	400	*	7
128	406	*	7
129	410	*	7
130	412	*	7
131	418	*	7
132	425	*	7
133	429	*	7
134	433	*	7
135	437	*	7
136	443	*	7
137	450	*	7
138	456	*	7
139	462	*	7
140	466	*	7
141	470	*	7
142	475	*	7
143	480	*	7
144	483	*	7
145	487	*	7
146	492	*	7
147	500	*	7
148	510	*	7
149	515	*	7
150	520	*	7

0 型耐油密封圈

序号	规格（内径）		
151	523	*	7
152	530	*	7
153	538	*	7
154	545	*	7
155	553	*	7
156	560	*	7
157	580	*	7
158	600	*	7
159	615	*	7
160	630	*	7
161	650	*	7
162	670	*	7

0 型耐油密封圈

序号	规格（内径）
1	60 * 10
2	65 * 10
3	68 * 10
4	80 * 10
5	90 * 10
6	95 * 10
7	100 * 10
8	105 * 10
9	110 * 10
10	114 * 10
11	118 * 10
12	120 * 10
13	125 * 10
14	130 * 10
15	135 * 10
16	140 * 10
17	150 * 10
18	155 * 10
19	160 * 10
20	170 * 10
21	18 * 10
22	190 * 10
23	200 * 10
24	210 * 10
25	215 * 10
26	220 * 10
27	225 * 10
28	230 * 10
29	240 * 10
30	250 * 10
31	255 * 10
32	260 * 10
33	270 * 10
34	280 * 10
35	285 * 10
36	290 * 10
37	295 * 10
38	300 * 10
39	310 * 10
40	320 * 10
41	330 * 10
42	335 * 10
43	340 * 10
44	370 * 10
45	390 * 10
46	400 * 10
47	410 * 10
48	420 * 10
49	430 * 10
50	440 * 10

序号	规格（内径）
51	450 * 10
52	460 * 10
53	500 * 10